

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XXXVI. Observations of the Comet of 1783. In a Letter from Edward Pigott, Esq. to the Rev. Nevil Maskelyne, D. D. F. R. S. and Astronomer Royal.

## Read June 24, 1784.

REVEREND SIR,

3


York, Dec. 11, 1783:

vifible

AVING compleated my observations of the comet I discovered on the 19th of November last, I take the liberty of desiring you to present them to the Royal Society. The faintness of the comet's light, and the unfavourable sky you have had in the south, induce me to believe, that sew observations of it have been made besides the following.

Dates.	Apparent time.		R. A.			North de- clination.		Greatest error of each R. A.		Longitude.		Latitude.		
	h.	,	0		//	1	′	"	/	//	s.°	′	0	/
Novem.19	11	4	4 I	1	30	3	11			00	19	37	12	$4\frac{1}{2}S$
20	10	55- 52+	40	0	3	4	3.2	34	0	22	1 9 1 8	22	10	31
22	6	52+	38	21	10	6	50		0	30	18	$11\frac{1}{4}$	7	50
24	10	24-	36	29	28	9	36	4	0	15		19		
26		9							0	1.5	1 6	$33^{\frac{1}{3}}$	2	6
Decem. 3	15	54	29	2 I	59	20	1.5	4	0	40	I 4	24	7	42 ½ N

The R. A's of November 20th, 24th, and 26th, were deduced from observations made at the transit instrument: the others, except the first, were determined with an excellent 2½ feet night-glass, made by Dollond, magnifying 20 times, having cross wires at right angles in its socus, which were



Horizon Fig. 1. extinction 19° 30' alt 29.19. azim

wifible without being illuminated. With this inftrument the comet, by the common method, was compared to ftars in the field of the telescope, and within four minutes on the same parallel. The places of those stars were afterwards settled with the meridian instruments. As sometimes several stars were observed, I easily found to what degree of certainty those observations might be depended on, which I have marked with the above results. The declinations, I think, cannot err two minutes, being compared to stars within sour minutes on the same parallel. The three of November 20th, 24th, and 26th, were taken with the transit instrument by comparing the comet to the nearest stars. I was much chagrined in not being able to see the comet in our equatorial when the wires were illuminated.

The comet had exactly the appearance of a nebula: its light was so faint that it could not be seen in a good opera glass. In the night-telescope the nucleus was scarcely visible, and the diameter of the surrounding coma was about three minutes of a degree. Between the 19th and 26th of November, I thought it had rather diminished in brightness. December the 1st and 3d it was very difficult to be seen, occasioned perhaps by its little elevation above the horizon. Between December the 3d and 10th, the comet was entirely essaced by the increased light of the Moon. On the 10th, the moon being in the horizon did not obliterate stars of the eighth or ninth magnitude; but I could not find the comet. The following observations were made by my friend Mr. John Goodricke.

Dates

462 Mr. Pigott's Observations of the Comet of 1783.

Dates.	Apparent time.	R. A.	North decli- nation.	Longitude.	Latitude.	
1783 Novem.24 28	h. ' 8 16 6 8 ½	36 32 57 33 20 0	9 30 <sup>3</sup> / <sub>4</sub> 14 16 <sup>1</sup> / <sub>2</sub>	S. ° ' I 7 2I I 5 $55\frac{1}{2}$	o , I 42½S O 52¼N	

I am, &c.

## EDW. PIGOTT.

P. S. This morning I received a letter from M. DE MECHAIN, in which he informs me, that he discovered the comet on the 26th of November seven days after my first observation. He has made several observations on it.

